Author Index

Abu-Lafi, S., see Levin, S. 654(1993)53
Agapova, N.N. and Vasileva, E.
High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299
Akashi, M., see Yashima, E. 654(1993)151
Akashi, M., see Yashima, E. 654(1993)159
Bachas, L.G., see Przyjazny, A. 654(1993)79
Bettmer, J., Cammann, K. and Robecke, M.
Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177
Brinkman, U.A.Th., see Vreeken, R.J. 654(1993)65
Buldini, P.L., Sharma, J.L. and Sharma, S.
Ion-chromatographic determination of inorganic anions and cations in some reagents used in the electronics industry 654(1993)113
Buldini, P.L., Sharma, J.L. and Mevoli, A.
Determination of inorganic ions in carboxylic acids by ion chromatography 654(1993)123
Buldini, P.L., Sharma, J.L. and Ferri, D.
Determination of total phosphorus in soaps/detergents by ion chromatography 654(1993)129
Camilleri, P., Eggleston, D., Farina, C., Murphy, J.A., Pfeiffer, U., Pinza, M. and Senior, L.A.
Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207
Cammann, K., see Bettmer, J. 654(1993)177
Carducci, C.N., see Fernández Otero, G.C. 654(1993)87
Caruso, J.A., see Kumar, U.T. 654(1993)261
Cassidy, R.M. and Sun, L.
Optimization of the anion-exchange separation of metal–oxalate complexes 654(1993)105
Chen, Y.-C., see Lin, T.-I. 654(1993)167
Cheynier, V., see Rigaud, J. 654(1993)255
Davis, B.H., see Shi, B. 654(1993)319
De Jong, G.J., see Vreeken, R.J. 654(1993)65
Dorsey, J.G., see Kumar, U.T. 654(1993)261
Eggleston, D., see Camilleri, P. 654(1993)207
Escribano-Bailon, M.T., see Rigaud, J. 654(1993)255
Evans, E.H., see Kumar, U.T. 654(1993)261
Farina, C., see Camilleri, P. 654(1993)207
Fernández Otero, G.C., Lucangioli, S.E. and Carducci, C.N.
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87
Ferri, D., see Buldini, P.L. 654(1993)129
Filippatos, E., see Tsantili-Kakoulidou, A. 654(1993)43
Fleischer, J., see Lausch, R. 654(1993)190
Frei, R.W., see Vreeken, R.J. 654(1993)65
Freitag, R., see Lausch, R. 654(1993)190
Freitag, R., see Reif, O.-W. 654(1993)29
Fuchslueger, U., see Rissler, K. 654(1993)309
Fukui, M., see Kasuya, F. 654(1993)221
Garcia-Dominguez, J.A., see Voelkel, A. 654(1993)135
Gelencsér, A., Szépvölgyi, J. and Hlavay, J.
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269
Ghijsen, R.T., see Vreeken, R.J. 654(1993)65
Głód, B.K. and Stafiej, J.
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1993)197
Grether, H.-J., see Rissler, K. 654(1993)309
Hagman, G. and Roeraade, J.
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287
Harwood, J.J. and Mamantov, G.
Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315
Heinzen, V.E.F. and Yunes, R.A.
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183
Hendricks, J.P., see Spencer, J.L. 654(1993)143
Hentz, N.G., see Przyjazny, A. 654(1993)79
Hlavay, J., see Gelencsér, A. 654(1993)269
Hynninen, P.H., see Kuronen, P. 654(1993)93
Hyvärinen, K., see Kuronen, P. 654(1993)93
Igarashi, K., see Kasuya, F. 654(1993)221
Iwase, H. and Ono, I.
Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215
Janas, J., see Voelkel, A. 654(1993)135
Janicki, W.C., Wolska, L., Wardencki, W. and Namieśnik, J.
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279
Jeong, J.H., see Song, C.E. 654(1993)303
Joshua, H.
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247
Kasuya, F., Igarashi, K. and Fukui, M.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221
Kerr, D., see Spencer, J.L. 654(1993)143
Kilpeläinen, I., see Kuronen, P. 654(1993)93
Kim, I.O, see Song, C.E. 654(1993)303
Kumar, U.T., Dorsey, J.G., Caruso, J.A. and Evans, E.H.
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
Kuronen, P., Hyvärinen, K., Hynninen, P.H. and Kilpeläinen, I.
High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

Author Index

Abu-Lafi, S., see Levin, S. 654(1993)53
Agapova, N.N. and Vasileva, E.
High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299
Akashi, M., see Yashima, E. 654(1993)151
Akashi, M., see Yashima, E. 654(1993)159
Bachas, L.G., see Przyjazny, A. 654(1993)79
Bettmer, J., Cammann, K. and Robecke, M.
Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177
Brinkman, U.A.Th., see Vreeken, R.J. 654(1993)65
Buldini, P.L., Sharma, J.L. and Sharma, S.
Ion-chromatographic determination of inorganic anions and cations in some reagents used in the electronics industry 654(1993)113
Buldini, P.L., Sharma, J.L. and Mevoli, A.
Determination of inorganic ions in carboxylic acids by ion chromatography 654(1993)123
Buldini, P.L., Sharma, J.L. and Ferri, D.
Determination of total phosphorus in soaps/detergents by ion chromatography 654(1993)129
Camilleri, P., Eggleston, D., Farina, C., Murphy, J.A., Pfeiffer, U., Pinza, M. and Senior, L.A.
Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207
Cammann, K., see Bettmer, J. 654(1993)177
Carducci, C.N., see Fernández Otero, G.C. 654(1993)87
Caruso, J.A., see Kumar, U.T. 654(1993)261
Cassidy, R.M. and Sun, L.
Optimization of the anion-exchange separation of metal–oxalate complexes 654(1993)105
Chen, Y.-C., see Lin, T.-I. 654(1993)167
Cheynier, V., see Rigaud, J. 654(1993)255
Davis, B.H., see Shi, B. 654(1993)319
De Jong, G.J., see Vreeken, R.J. 654(1993)65
Dorsey, J.G., see Kumar, U.T. 654(1993)261
Eggleston, D., see Camilleri, P. 654(1993)207
Escribano-Bailon, M.T., see Rigaud, J. 654(1993)255
Evans, E.H., see Kumar, U.T. 654(1993)261
Farina, C., see Camilleri, P. 654(1993)207
Fernández Otero, G.C., Lucangioli, S.E. and Carducci, C.N.
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87
Ferri, D., see Buldini, P.L. 654(1993)129
Filippatos, E., see Tsantili-Kakoulidou, A. 654(1993)43
Fleischer, J., see Lausch, R. 654(1993)190
Frei, R.W., see Vreeken, R.J. 654(1993)65
Freitag, R., see Lausch, R. 654(1993)190
Freitag, R., see Reif, O.-W. 654(1993)29
Fuchslueger, U., see Rissler, K. 654(1993)309
Fukui, M., see Kasuya, F. 654(1993)221
Garcia-Dominguez, J.A., see Voelkel, A. 654(1993)135
Gelencsér, A., Szépvölgyi, J. and Hlavay, J.
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269
Ghijsen, R.T., see Vreeken, R.J. 654(1993)65
Głód, B.K. and Stafiej, J.
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1993)197
Grether, H.-J., see Rissler, K. 654(1993)309
Hagman, G. and Roeraade, J.
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287
Harwood, J.J. and Mamantov, G.
Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315
Heinzen, V.E.F. and Yunes, R.A.
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183
Hendricks, J.P., see Spencer, J.L. 654(1993)143
Hentz, N.G., see Przyjazny, A. 654(1993)79
Hlavay, J., see Gelencsér, A. 654(1993)269
Hynninen, P.H., see Kuronen, P. 654(1993)93
Hyvärinen, K., see Kuronen, P. 654(1993)93
Igarashi, K., see Kasuya, F. 654(1993)221
Iwase, H. and Ono, I.
Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215
Janas, J., see Voelkel, A. 654(1993)135
Janicki, W.C., Wolska, L., Wardencki, W. and Namieśnik, J.
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279
Jeong, J.H., see Song, C.E. 654(1993)303
Joshua, H.
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247
Kasuya, F., Igarashi, K. and Fukui, M.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221
Kerr, D., see Spencer, J.L. 654(1993)143
Kilpeläinen, I., see Kuronen, P. 654(1993)93
Kim, I.O, see Song, C.E. 654(1993)303
Kumar, U.T., Dorsey, J.G., Caruso, J.A. and Evans, E.H.
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
Kuronen, P., Hyvärinen, K., Hynninen, P.H. and Kilpeläinen, I.
High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

Lausch, R., Scheper, T., Reif, O.-W., Schlösser, J., Fleischer, J. and Freitag, R.
Rapid capillary gel electrophoresis of proteins
654(1993)190
Lee, K.C., see Song, C.E. 654(1993)303
Lee, S.G., see Song, C.E. 654(1993)303
Lee, Y.-H., see Lin, T.-I. 654(1993)167
Levin, S., Abu-Lafi, S., Zahalka, J. and Mechoulam, R.
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
Lightfoot, E.N., see Roper, D.K. 654(1993)1
Lin, T.-I., Lee, Y.-H. and Chen, Y.-C.
Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH
654(1993)167
Lucangioli, S.E., see Fernández Otero, G.C. 654(1993)87
Mamantov, G., see Harwood, J.J. 654(1993)315
Mechoulam, R., see Levin, S. 654(1993)53
Mevoli, A., see Buldini, P.L. 654(1993)123
Miyauchi, N., see Yashima, E. 654(1993)151
Miyauchi, N., see Yashima, E. 654(1993)159
Murphy, J.A., see Camilleri, P. 654(1993)207
Namieśnik, J., see Janicki, W.C. 654(1993)279
Nave, R., Weber, K. and Potschka, M.
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin
654(1993)229
Ono, I., see Iwase, H. 654(1993)215
Papadaki-Valiraki, A., see Tsantili-Kakoulidou, A. 654(1993)43
Pfeiffer, U., see Camilleri, P. 654(1993)207
Pinza, M., see Camilleri, P. 654(1993)207
Potschka, M., see Nave, R. 654(1993)229
Prieur, C., see Rigaud, J. 654(1993)255
Przyjazny, A., Hentz, N.G. and Bachas, L.G.
Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay
654(1993)79
Reif, O.-W. and Freitag, R.
Characterization and application of strong ion-exchange membrane adsorbers as stationary phases in high-performance liquid chromatography of proteins
654(1993)29
Reif, O.-W., see Lausch, R. 654(1993)190
Rigaud, J., Escribano-Bailon, M.T., Prieur, C., Souquet, J.-M. and Cheynier, V.
Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255
Rissler, K., Fuchslueger, U. and Grether, H.-J.
Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309
Robecke, M., see Bettmer, J. 654(1993)177
Roeraade, J., see Hagman, G. 654(1993)287
Roper, D.K. and Lightfoot, E.N.
Comparing steady counterflow separation with differential chromatography 654(1993)1
Scheper, T., see Lausch, R. 654(1993)190
Schlösser, J., see Lausch, R. 654(1993)190
Sellergren, B. and Shea, K.J.
Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers
654(1993)17
Senior, L.A., see Camilleri, P. 654(1993)207
Sharma, J.L., see Buldini, P.L. 654(1993)113
Sharma, J.L., see Buldini, P.L. 654(1993)123
Sharma, J.L., see Buldini, P.L. 654(1993)129
Sharma, S., see Buldini, P.L. 654(1993)113
Shea, K.J., see Sellergren, B. 654(1993)17
Shi, B. and Davis, B.H.
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319
Song, C.E., Lee, S.G., Lee, K.C., Kim, I.O and Jeong, J.H.
Chromatographic resolution of racemic α-halocarboxylic acids and O-substituted α-hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303
Souquet, J.-M., see Rigaud, J. 654(1993)255
Spencer, J.L., Hendricks, J.P. and Kerr, D.
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143
Stafiej, J., see Głód, B.K. 654(1993)197
Suehiro, N., see Yashima, E. 654(1993)151
Suehiro, N., see Yashima, E. 654(1993)159
Sun, L., see Cassidy, R.M. 654(1993)105
Szépvölgyi, J., see Gelencsér, A. 654(1993)269
Todoulou, O., see Tsantili-Kakoulidou, A. 654(1993)43
Tsantili-Kakoulidou, A., Filippatos, E., Todoulou, O. and Papadaki-Valiraki, A.
Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol–water partition coefficients 654(1993)43
Vasileva, E., see Agapova, N.N. 654(1993)299
Voelkel, A., Janas, J. and Garcia-Dominguez, J.A.
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter
654(1993)135
Vreeken, R.J., Ghijsen, R.T., Frei, R.W., De Jong, G.J. and Brinkman, U.A.Th.
Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column
654(1993)65
Wardencki, W., see Janicki, W.C. 654(1993)279
Weber, K., see Nave, R. 654(1993)229
Wolska, L., see Janicki, W.C. 654(1993)279
Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel
654(1993)151
Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel
654(1993)159
Yunes, R.A., see Heinzen, V.E.F. 654(1993)183
Zahalka, J., see Levin, S. 654(1993)53